


T9 SGRIP MOST - TIG welding torch



Model	T9 SGRIP
Cooling	Gas
Technical data according to EN 60 974-7:	
▪ Rating 35% duty cycle	90 A AC / 125 A DC
▪ Tungsten electrode diameter	1,0-1,6 mm
▪ Gas flow	5-12 l/min
▪ Weight	0,75 kg
Length / Catalogue No.	4,0 m / 56 01 060904 8,0 m / 56 01 060908

T9F SGRIP version with flexible torch, technical data as for T9 SGRIP.

Torches supplied without control plugs.

V - torch with gas valve, without button.

F - flexible torch.

DC - direct current.

AC - alternating current.

No.	Replaceable elements	Catalogue No.	Alternative designation
1	T9 MOST* torch body	56 13 003350	-
1.1	T9F MOST torch body	56 13 003351	-
1.2	T9FXL torch body L=75 mm MOST	56 13 00335L	-
1.3	T9FXL torch body L=100 mm MOST	56 13 00335X	-
2	Set button ON/OFF	56 13 200100	UER1MS
3	Small handle TSGRIP	56 13 200221	RY-ERH100
4	Long back cup T-9/20	56 13 003170	41V24
4.1	Medium back cup T-9/20	56 13 003250	42V35
4.2	Short back cup T-9/20	56 13 003280	41V33
5	Cable cover 35x1,5 (m)	51 13 015288	-
5.1	Cable cover 35x1,5 4 m	56 13 200197	USLERC0100-40
5.2	Cable cover 35x1,5 8 m	56 13 200198	USLERC0100-80
6	4 m control cable	56 13 200217	UERSWL4
6.1	8 m control cable	56 13 200218	UERSWL8
7	T9 power gas cable 4 m	56 13 200200	USLHD57Y01AOB
7.1	T9 power gas cable 8 m	56 13 200201	USLHD57Y03AOB
8	TIG joint	56 13 200266	UERKJ100
9	T9 plug assembly	56 13 200274	UNSL3550-917-G-S5

* standard version